

Fitting criteria

fish610.055 Fisheries and ecosystem models

Gunnar Stefansson

April 10, 2018

The issue of fitting to data

Have some internal model of stock development

Model may be bulk or age-based

Need to compare to data-not contort the data!

Data may be bulk or age-based

Note several possible combinations: model or data may be complex or simple

Linking biomass to an index

Annual index of total abundance:

$$I_y = qB_y e^{\epsilon_y}$$

Assume ϵ comes from Gaussian distribution
 q is catchability

Fitting in a VPA setting

- VPA/cohort analysis gives historical information
- Survey indices provide time series proportional to abundance
- Effort data provide time series proportional to F_y
- Can connect through regression (i.e. revise the terminal year)
- Can reduce to single parameter (F_{term})
- Better to formally estimate using a statistical approach, e.g. minimize

$$\sum (E_y - (1/q)F_y)^2$$

over the terminal F_{term} .

- Can also write up formal methods (e.g. ADAPT) for estimating an entire parameter set, including selection pattern s_a .

ADAPT

Simplified ADAPT:

- Start with VPA or cohort analysis
- Use regression to predict indices - get SSE
- Find the best possible regression by varying F_{term}
- NB: The index-values are on the y-axis!!

$$SSE = \sum_{a,y} w_a [\ln U_{ay} - (\alpha_a + \beta_a \ln N_{ay})]^2$$

Often we set $w_a = 1$ for most ages. Usually we set $\beta_a = 1$ for most ages.

Full ADAPT: Use nonlinear minimization and estimate initial age composition, annual F_y and recruitment along with q_a .

Abundance index (research or log-books)

- Log-books: catch per towing hour
 - use mean weight to get number of fish per towing hour
 - use age determination to get number per age group
- Groundfish survey: direct count
 - use age determination to get number per age group
 - Other research cruises...

Nature of relationships

- Poor relationship between N and U
 - Is VPA bad?
 - Uncertain indices?
 - Variable M ?
- Good relationship between N and U
 - VPA and indices OK
 - M stable
- $N - U$ bad but $U - U$ good
 - Variable M and/or VPA bad

